

Figure 1




Figure 2




Figure 3




Figure 4




Figure 5




Figure 6




Figure 7

00000000000000000000000000000000




Figure 8

Figure 9




FIGURE 10a




Figure 10b




Figure 10c




Figure 10d




Figure 10e




Figure 10f





Figure 10g







Figure 11



```

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD><TITLE>Home Manager</TITLE>
<META content="text/html; charset=windows-1252" http-equiv=Content-Type>
<META content="MSHTML 5.00.3207.2500" name=GENERATOR></HEAD>
<BODY leftMargin=0 link=#000000 text=#000000 topMargin=0 #000000?
marginheight="0" marginwidth="0"><A
href="index.htm"><IMG border=0 height=30
src="index_files/mosaic.gif" width=62></A> <BR><FONT
size=+2>Home Control</FONT>(tm)
<TABLE border=0 cellSpacing=1>
<TBODY>
<TR>
<TD width=10>
<TD><A href="modes.htm"><IMG border=0
height=25 src="index_files/modesgif" width=25></A> </TD>
<TD><A href="modes.htm">Predefined Modes</A>
</TD></TR>
<TR>
<TD width=10>
<TD><A href="appliances.htm"><IMG border=0
height=25 src="index_files/Appliancesgif" width=25></A> </TD>
<TD><A href="appliances.htm">Appliances</A>
</TD></TR>
<TR>
<TD width=10>
<TD><A href="hvac.htm"><IMG border=0
height=25 src="index_files/hvacgif" width=25></A> </TD>
<TD>Heating / AC
Control</TD></TR>
<TR>
<TD width=10>
<TD><A href="lighting.htm"><IMG border=0
height=25 src="index_files/lighting.gif" width=25></A> </TD>
<TD><A href="lighting.htm">Lighting
Control</A> </TD></TR>
<TR>
<TD width=10>
<TD><A href="security.htm"><IMG border=0
height=25 src="index_files/Security.gif" width=25></A> </TD>
<TD>Security System
Control</TD></TR></TBODY></TABLE></BODY></HTML>

```

Figure 12




Figure 13

00000000000000000000000000000000




Figure 14




Figure 15

RECEIVED IN THE LIBRARY OF THE UNIVERSITY OF TORONTO
ON NOV 12 2001




Figure 16




Figure 17




Figure 18(a)




Figure 18(b).




Figure 19(a)




Figure 19(b)




Figure 20

00000000000000000000000000000000




Figure 21




FIGURE 22




FIGURE 23

DEPARTMENT OF STATE




Figure 24




Figure 25




FIGURE 26

FBI - MEMPHIS - LABORATORY




FIGURE 27




FIGURE 28




FIGURE 29




FIGURE 30